arXiv:0907.2914v1 [astro-ph.IM] 16 Jul 2009

Managing Information for Sparsely Distributed Articles and Readers: The Virtual Journals of the Joint Institute for Nuclear Astrophysics (JINA)

Richard H. Cyburt[1,2], **Sam M. Austin**[1,2], **Timothy C. Beers**[1,3,4], **Alfredo Estrade**[1,2,4], **Ryan M. Ferguson**[1,2,4], **A. Sakharuk**[1,2], **Karl Smith**[1,2,4], and **Scott Warren**[1,2,5]

[1] *Joint Institute for Nuclear Astrophysics (JINA), http://www.jinaweb.org*
[2] *National Superconduction Cyclotron Laboratory (NSCL), Michigan State University, East Lansing, MI 48824*
[3] *Center for the Study of Cosmic Evolution (CSCE), http://www.pa.msu.edu/astro/CSCE/*
[4] *Department of Physics and Astronomy, Michigan State University, East Lansing, MI 48824*
[5] *Department of Electrical and Computer Engineering, Michigan State University, East Lansing, MI 48824*

Abstract

The research area of nuclear astrophysics is characterized by a need for information published in tens of journals in several fields and an extremely dilute distribution of researchers. For these reasons it is difficult for researchers, especially students, to be adequately informed of the relevant published research. For example, the commonly employed journal club is inefficient for a group consisting of a professor and his two students. In an attempt to address this problem, we have developed a virtual journal (VJ), a process for collecting and distributing a weekly compendium of articles of interest to researchers in nuclear astrophysics. Subscribers are notified of each VJ issue using an email-list server or an RSS feed. The VJ data base is searchable by topics assigned by the editors, or by keywords. There are two related VJs: the Virtual Journal of Nuclear Astrophysics (JINA VJ), and the SEGUE Virtual Journal (SEGUE VJ). The JINA VJ also serves as a source of new experimental and theoretical information for the JINA REACLIB reaction rate database. References to review articles and popular level articles provide an introduction to the literature for students. The VJs and support information are available at http://groups.nscl.msu.edu/jina/journals.

[JINA] email: cyburt@nscl.msu.edu, austin@nscl.msu.edu
[SEGUE] email: beers@pa.msu.edu

1 Introduction

Nuclear astrophysics is an interdisciplinary subject with contributions from many branches of physics and astrophysics. For example, someone studying the r-process that synthesizes half of the heavy elements needs familiarity with, for example, measurements of nuclear lifetimes and nuclear masses, shell model calculations of nuclear properties, models of supernova explosions, freeze-out processes, abundances in metal poor stars, atomic oscillator strengths, processes in stellar surfaces, and the implications of all these for nucleocosmochronology. It is, therefore, difficult for researchers in nuclear astrophysics, and especially for young researchers, to be cognizant of all the literature bearing on their research. This is aggravated by the dilute distribution of researchers, often only one in the field at a given institution.

To remedy this problem, in 2003 we founded and have since been operating a Virtual Journal of Nuclear Astrophysics (JINA VJ). It is sponsored by JINA, the Joint Institute of Nuclear Astrophysics [1] at the National Superconducting Cyclotron Laboratory (NSCL), Michigan State University. In 2006, we founded a similar journal for articles of particular interest to astronomical observers, the SEGUE Virtual Journal (SEGUE VJ) [2]. Essentially all the technical description below applies to both of these virtual journals. More recently the JINA VJ has become an important source of data for the on-line JINA REACLIB database [3].

We describe in Section 2 the evolution of procedures for generating the journal; in Section 3 the features and functions of the JINA VJ and some examples of its usage; and in Section 4 the extension of these procedures to the Segue VJ.

2 Architecture

To provide the desired coverage it was necessary to scan for appropriate articles in over forty journals, as shown in Table 1. It was found to be important to have two people with broadly different expertise perform redundant scans to ensure that the appropriate choices were made. Initially this process involved the following steps. (1) An undergraduate student provided the Table of Contents (TOC's) of the chosen journals, including links to their on-line versions. (2) These lists were scanned by two editors, a nuclear physicist and an astronomer. For each chosen paper, one or more categories were assigned, for example, "reaction rate", "r process", etc., to aid in searching by users. The categories for the JINA VJ are shown in Fig. 2(a). (3) An undergraduate student then compiled the chosen titles, links to them, and their assigned categories into a list which was entered into a searchable database maintained

by the NSCL. A Listserv notification was then sent to enrolled subscribers.

More recently these processes have been streamlined. Step (1) The production of the TOC's is now done semi-automatically. It was attempted to make this process completely automatic, but continual structural changes in the journal TOC's made this untenable, and we have reverted to a less automated process. This is achieved with a suite of regular expressions for each journal . As journal TOC's change, these regular expressions can easily be updated. Figure 1 shows a schematic of the download process. After the weekly downloads, any error messages from problem downloads are examined and changes implemented. This takes about 30 minutes per week. Step (2) The lists are made available on a web-based PHP-driven [4] interface so they can be easily searched remotely by the editors; this takes about 60 minutes per editor per week. Step (3) The list of titles, links, and categories, is entered into a MySQL database [5] , and a notification is sent to readers via "Listserv" or "RSS". This takes about 10 minutes per week. An example of an issue of the JINA VJ is shown in Fig. 3. The MySQL-based database developed specifically for the VJs provides flexible searches and integrates seamlessly with the REACLIB [3] database. This database provides recommended nuclear reaction rates to the community of modelers of processes in the cosmos, mostly in stars. More details about the virtual journal can be found at: `http://groups.nscl.msu.edu/jina/journals/jinavj`

3 Features and functions

The first weekly issue of JINA VJ was published on July 18, 2003. A typical page is shown in Figure 2. There are normally 20-60 articles in a given issue and 1500 to 2000 articles in a given year; a total of 10381 articles have been included through the December 2008 issues. The reader may click the appropriate link to see the abstracts or complete articles for those publications that make them publicly available without subscription. Of course, access to complete articles is, in many cases, available only if the reader's institution has an appropriate subscription.

The individual journals contribute widely different numbers of articles, with the preprint servers having the largest contributions. To give an indication of the important journals for this field, Table 1 notes the number of articles from each journal for 2008.

Figure 2(a) shows the search page for the JINA VJ. Checking any number of boxes and then performing a search presents a list of articles labeled by all of the box-items (an AND search) or any one of them (an OR search). In addition, text can be entered in the search boxes and ANDed or ORed with the other choices. One can limit the search to a

particular year or years. This capability allows an easy search of the literature. It has also proven useful for teaching classes in the field. For example, a choice of "Reviews" and "Core collapse SN" yields review articles on supernovae. A search on Woosley provides links to papers by S.E. Woosley

The usage of the JINA VJ is quantitatively evaluated in two ways. First, we keep track of the number of individuals who continue to receive our weekly list server notification. The list was initially populated by large mailing lists for the field of nuclear astrophysics; individuals can enlist or de-list easily. The total number notified has grown slowly. It is presently about 270; we find that few de-list, except for young researchers who leave the field. The second approach is through web based hit and visit analyzers. Because of their contamination by commercial search firms and their robots, these data are very hard to interpret. None-the-less, for the usual comparisons, we typically find 30000/5000 hits/visits per month. A more reliable approach is through use of an engine such as Google Analytics [6], which is mainly insensitive to robot searches. The results since we have been using Analytics (April/2007 to May/2009) include 11863 visits, and $\sim$3 pages viewed per visit, compared to the group of $\sim$270 individuals that receives weekly notifications. Analytics also provides geographical distribution statistics. Of the 11863 visitors 6640 are from the Americas, 4390 from Europe, 736 from Asia, 84 from Oceana and 8 from Africa. The first ten countries, in order of visitors, are: United States, Germany, Italy, Brazil, United Kingdom, France, Canada, Hungary, Israel and Spain. Shown in Figure 4, are the cities viewing the VJ over the last year. The wide geographical distribution of viewers is a reflection of the access that the JINA VJ provides for the sparse distribution of researchers in less developed countries.

4 The SEGUE Virtual Journal

During the evolution of JINA, astronomical observation came to play a more and more important role. It appeared that this observational community would benefit from an additional virtual journal that would provide coverage for observers that was inappropriate for the more diverse clientele of the JINA VJ. The SEGUE VJ was formed to serve this need [2]. The operation of the SEGUE VJ takes advantage of the procedures developed for JINA VJ. The categories for SEGUE VJ are shown in Fig. 2(b). More details can be found at: `http://groups.nscl.msu.edu/jina/journals/seguevj`

5 Conclusions

We have developed an efficient set of procedures for producing Virtual Journals: summaries of titles and links to articles from a set of journals that are of interest to a particular research field. There are convenient search procedures for users, including choices of topics, key words, and authors. It is possible to link seamlessly to other databases that use material from the surveyed journals. The database structure and interface routines and other software needs can be made available, though with limited support.

6 Acknowledgments

We thank Jason Danielson for his assistance during the early development of the JINA VJ. This work is supported by the U.S. National Science Foundation Grants No. PHY-02-016783 and PHY-08-22648 (JINA).

References

[1] The Joint Institute for Nuclear Astrophysics (JINA) `http://www.jinaweb.org`.

[2] SEGUE (SEGUE-II) is part of the Sloan Digital Sky Survey, SDSS-II (SDSS-III) `http://www.sdss3.org`.

[3] Cyburt, R. H. *et al.* To be published (`http://groups.nscl.msu.edu/jina/reaclib/db/`).

[4] PHP: Hypertext Preprocessor. 2009, `http://www.php.net`.

[5] MySQL. 2009, `http://www.mysql.com`.

[6] Google Analytics 2009, `http://www.google.com/analytics`.



Figure 1: The article download process.



Figure 2: The category choices available for searches within the (a) JINA VJ (on left) and (b) SEGUE VJ (on right), by checking the small boxes. Both AND and OR searches are available. They may be combined with words entered as text in the three search boxes and choices of years to be searched.



Figure 3: Part of a page from the virtual journal.



Figure 4: This map shows the cities from which subscribers are viewing the JINA VJ website, as determined from Google Analytics [6] over the last year.

Table 1: This table lists the journals scanned for the JINA VJ. The start date for which the specified journal was scanned and the number of articles from each journal that was chosen for inclusion in JINA VJ in 2008 is shown.

Journal	Checked After	# articles 2008
American Journal of Physics	2003-09-12	12
Annual Review of Astronomy and Astrophysics	2003-07-18	2
Annual Review of Nuclear and Particle Science	2003-07-18	1
arXiv.org - Astrophysics	2003-07-18	436
arXiv.org - Nuclear Experiment	2003-08-08	80
arXiv.org - Nuclear Theory	2003-07-18	108
Astronomical Journal	2005-09-30	23
Astronomische Nachrichten	2006-05-19	5
Astronomy and Astrophysics	2003-07-18	132
Astronomy and Astrophysics Review	2006-05-05	5
Astronomy Letters	2003-08-01	11
Astronomy Reports	2003-07-25	7
Astroparticle Physics	2004-07-23	2
The Astrophysical Journal	2003-07-18	113
The Astrophysical Journal Letters	2003-07-25	50
The Astrophysical Journal Supplement	2003-07-25	10
Atomic Data and Nuclear Data Tables	2005-01-06	1
The European Physical Journal A	2004-04-16	22
JETP Letters	2003-10-03	0
Journal of Physics G	2004-03-12	9
Monthly Notices of the Royal Astronomical Society	2003-08-15	67
Nature	2003-07-18	41
Nature-Physics	2006-02-10	1
New Astronomy	2003-08-29	3
New Astronomy Reviews	2004-09-10	9
Nuclear Instr. and Methods in Phys. Research Sect. A	2003-11-21	7
Nuclear Physics A	2003-07-25	15
Nuclear Physics B	2003-08-29	0
Nuclear Physics News	2006-07-21	4
Physical Review C	2003-07-18	126
Physical Review D	2003-07-18	26
Physical Review Letters	2003-07-18	35
Physics Letters B	2003-07-25	9
Physics of Atomic Nuclei	2003-07-18	0
Physics of Particles and Nuclei	2003-11-28	8
Physics Reports	2003-08-08	2
Progress in Particle and Nuclear Physics	2003-08-29	2
Publications of the Astronomical Society of Australia	2004-07-30	9
Publications of the Astronomical Society of Japan	2007-04-06	6
Reviews of Modern Physics	2003-08-29	1
Science	2003-07-18	26